



IN-SURFACE POWER BOXES  
POWER BOX IN DER TISCHPLATTE


It is served in anodized silver color, for other finishing, contact the Customer Department.

There are two power system sizes available and data slots can be customized according to the below diagram .




1 POWER BOXES DISTRIBUTION

By standard, the position of the system will be in the central of the table, placed horizontally. When there are two system boxes, these will be separated 1/3 of the way of table and placed horizontally. For other options, please contact the Customer Department.




2 WIRING MANAGEMENT

Wire pass through an aluminum grommet keeping it hidden. By default color is silver, for other finishings ask the Customer Department



3 CABLE WAY OUT

The cable way out can be performed directly from the power system or thru a canal in the base bottom, so that is hidden until it gets to the floor .




OPTIONAL PREINSTALLED WIRING

IN-0006

Preinstalled wiring consists in the addition of the necessary mechanisms to integrate power systems in the table, so that wiring is hidden until the way out in the floor . Necessary grommet are included and 3m cable (from the power system). For other cable dimensions contact the Customer Department.

Preinstalled wiring is available for aluminum legs, Delta and 100x100 square legs. In wooden legs cable way out is placed in center of the table.



The distribution of electricity is entirely configurable; the exit for the cables can be placed inside any leg (A, B, C or D). Please specify the Customer Departmente which leg is to have the cables with reference to the view of the table in the diagram below.



INTEGRATED POWER BOXES

The finish is integrated with the top. Its opening is towards both sides.

PS-0710


PS-0720

Finish: Black frame panel custom top




1 POWER BOXES DISTRIBUTION

By standard, the position of the system will be in the central of the table, placed horizontally. When there are two system boxes, these will be separated 1/3 of the way of table and placed horizontally. For other options, please contact the Customer Department.




2 WIRING MANAGEMENT

Wire pass through an aluminum grommet keeping it hidden. By default color is silver, for other finishings ask the Customer Department



3 CABLE WAY OUT

The cable way out can be performed directly from the power system or thru a canal in the base bottom, so that is hidden until it gets to the floor .




OPTIONAL PREINSTALLED WIRING

IN-0006

Preinstalled wiring consists in the addition of the necessary mechanisms to integrate power systems in the table, so that wiring is hidden until the way out in the floor . Necessary grommet are included and 3m cable (from the power system). For other cable dimensions contact the Customer Department.

Preinstalled wiring is available for aluminum legs, Delta and 100x100 square legs. In wooden legs cable way out is placed in center of the table.





The distribution of electricity is entirely configurable; the exit for the cables can be placed inside any leg (A, B, C or D). Please specify the Customer Departmente which leg is to have the cables with reference to the view of the table in the diagram below.

USB CHARGING POWER BOXES  
CAJAS DE CONEXIONES DE CARGA USB


It is a data dynamo with 2 amp dual charging USB. Available in two finish: black or white.

PS-0718



1 POWER BOXES DISTRIBUTION


By standard, the position of the system will be in the central of the table, placed horizontally. When there are two system boxes, these will be separated 1/3 of the way of table and placed horizontally. For other options, please contact the Customer Department.



2 WIRING MANAGEMENT


Wire pass through an aluminum grommet keeping it hidden. By default color is silver, for othe finishings ask the Customer Department

Das Kabel geht durch eine Aluminium-Tülle. Die Standardausführung ist silber, für weitere Ausführungen setzten Sie sich mit unserer Verkaufsabteilung in Verbindung.



3 CABLE WAY OUT


The cable way out can be performed directly from the power system or thru a canal in the base bottom, so that is hidden until it gets to the floor .




OPTIONAL PREINSTALLED WIRING

Preinstalled wiring consists in the addition of the necessary mechanisms to integrate power systems in the table, so that wiring is hidden until the way out in the floo . Necessary grommet are included and 3m cable (from the power system). For other cable dimensions contact the Customer Department.

Preinstalled wiring is available for aluminum legs, Delta and 100x100 square legs. In wooden legs cable way out is placed in center of the table.





The distribution of electricity is entirely configurable; the exit for the cables can b placed inside any leg (A, B, C or D). Please specify the Customer Departemente which leg is to have the cables with reference to the view of the table in the diagram below.



QI CHARGING POWER BOXES  
CAJAS DE CONEXIONES QI


The inductive charging station, allows maximum larger contact surface.  
Available in two finish: black or white

PS-0714



1 POWER BOXES DISTRIBUTION


By standard, the position of the system will be in the central of the table, placed horizontally. When there are two system boxes, these will be separated 1/3 of the way of table and placed horizontally. For other options, please contact the Customer Department.




OPTIONAL PREINSTALLED WIRING

Preinstalled wiring consists in the addition of the necessary mechanisms to integrate power systems in the table, so that wiring is hidden until the way out in the floor . Necessary grommet are included and 3m cable (from the power system). For other cable dimensions contact the Customer Department.

Preinstalled wiring is available for aluminum legs, Delta and 100x100 square legs. In wooden legs cable way out is placed in center of the table.




The distribution of electricity is entirely configurable; the exit for the cables can b placed inside any leg (A, B, C or D). Please specify the Customer Departemente which leg is to have the cables with reference to the view of the table in the diagram below.



2 WIRING MANAGEMENT

Wire pass through an aluminum grommet keeping it hidden. By default color is silver, for othe finishings ask the Customer Department



3 CABLE WAY OUT

The cable way out can be performed directly from the power system or thru a canal in the base bottom, so that is hidden until it gets to the floor .

