



Standard Materials

Standard Material Selection, 2/2018

SURFACE FINISHES

Category 1: Paints 3

Category 2: Wood and Laminate 3

CARPETS

Category 1: DESSO: Flux 4

Category 2: DESSO: Palatino 5

FELTS

Category 1: FILZFABRIK: Fulda Ment 60 6

FORBO: Showtime 7

WALL PANEL FABRICS

Category 1: CAMIRA: Blazer Lite 8

GABRIEL: Soul 9

UPHOLSTERY FABRICS

Category 1: CAMIRA: X2, Main Line Flax 10 - 11

Category 2: MOON: Melton II Spectrum 12

ABITEX: Magnum 13

CAMIRA: Blazer, Synergy 14 - 16

GABRIEL: Crisp, Fame, Note 17 - 19

KVADRAT: Remix 2 20

Category 3: KVADRAT: Hallingdal 65, Steelcut Trio 3 21 - 22

ULTRAFABRICS: Ultraleather Original 23 - 24

Please note that the colors are as close to the originals as possible.

SURFACE FINISHES / CATEGORY 1

PODs, TUBEs, CUBEs, ROLL INs, DISPLAY BOXes
Paint colors: smooth / structured



NCS S 0500-N NCS S 6000-N NCS S 7500-N


TOPs, Tables
Options for table surfaces: paint colors
Options for steel surfaces: RAL 9016 White



Structural NCS S 0500-N Structural NCS S 6000-N Structural NCS S 7500-N RAL 9016 White


SURFACE FINISHES / CATEGORY 2

PODs
Options for door surfaces: American oak
Options for outside material: Pine plywood



American oak / door Pine plywood / outside material


TOPs, Tables
Options for table surfaces: Fenix laminate



Fenix laminate 0029


CARPET: FLUX FROM DESSO / CATEGORY 1

PODs
Composition: BCF Polyamide 6.6
Static electrical propensity: Antistatic Impact sound reduction: 22 dB
Chair castor suitability: Yes
Classification for use: Commercial / heavy use
Fire resistant: Yes




CARPET: PALATINO FROM DESSO / CATEGORY 2

PODs
Composition: BCF Polyamide 6.6
Static electrical propensity: Antistatic
Impact sound reduction: 25 dB
Chair castor suitability:vv Yes
Classification for use: Commercial / heavy use
Fire resistant: Yes



FELT: FULDA MENT 6o FROM FILZFABRIK / CATEGORY 1

STORY WALLs, SCREEN WALLs
Composition: 40% Polyamid, 60% Polypropylen
Static electrical propensity: Antistatic
Classification for use: Commercial / heavy use
Fire resistant: Yes



FELT: SHOWTIME FROM FORBO / CATEGORY 1




















TUBEs
Composition: Wear layer 100% polyamide, backing 100% recycled polyester
Static electrical propensity: Antistatic
Classification for use: Commercial / heavy use
Fire resistant: Yes



WALL PANEL FABRIC: BLAZER LITE FROM CAMIRA / CATEGORY 1



ROLL INS
Composition: 100% Virgin wool
Durability: 50.000 Martindale
Lightfastness: 5
Crocking: 4, wet and dry
Sustainability: Complies with EU ecolabel “The Flower”, Biodegradable
Cleaning: Vacuuming and dry cleaning
Fire resistant: Yes

											
LTH39	LTH40	LTH41	LTH42	LTH43	LTH44	LTH46	LTH47	LTH48	LTH49	LTH50	LTH51
											
LTH52	LTH53	LTH54	LTH55	LTH56	LTH57	LTH58	LTH59	LTH60	LTH61	LTH62	LTH63
											
LTH64	LTH65	LTH66	LTH67	LTH68	LTH69	LTH70					

ACOUSTIC PANEL FABRIC: SOUL FROM GABRIEL / CATEGORY 1

FOCUS'

Design/Colours: Inger Mosholt Nielsen

Composition: 100% wool

Durability: 200.000 Martindale


Lightfastness: 5-7

Crocking: 4/wet, 4-5/dry

Sustainability: Complies with Oeko-Tex Standard, free of heavy metals


Cleaning: Dry cleaning

Fire resistant: Yes



UPHOLSTERY FABRIC: X2 FROM CAMIRA / CATEGORY 1

POINTs, CUBEs, POD ROLLs
Composition: 100% Polyester
Durability: 100.000 Martindale
Pilling: 4
Lightfastness: 6
Sustainability: Complies with EU ecolabel “The Flower”, recycled polyester
Cleaning: vacuuming and washable in 60°C
Fire resistant: Yes



UPHOLSTERY FABRIC: MAIN LINE FLAX FROM CAMIRA / CATEGORY 1

POINTS, CUBES, POD ROLLS

Composition: 70% Virgin wool, 30% Flax

Durability: 50.000 Martindale

Lightfastness: 5

Crocking: 3/wet, 4/dry

Sustainability: Complies with EU ecolabel "The Flower", Compostable

Cleaning: Vacuuming and dry cleaning


Fire resistant: Yes




MLF01




MLF02




MLF03




MLF04




MLF05



MLF06



MLF07



MLF08



MLF09




MLF10




MLF11




MLF12



MLF13




MLF14




MLF15




MLF16



MLF17



MLF18



MLF19



MLF20



MLF21



MLF22



MLF23



MLF24




MLF25




MLF26




MLF27




MLF28




MLF29




MLF30




MLF31




MLF32




MLF33




MLF34



MLF35




MLF36




MLF37




MLF38



MLF39



MLF40



MLF41

UPHOLSTERY FABRIC: MELTON II SPECTRUM FROM MOON / CATEGORY 2

POINTS, CUBEs, POD ROLLs
Composition: 100% Pure new wool
Durability: 50.000 Martindale
Lightfastness: 5
Crocking: 4, wet and dry
Cleaning: Vacuuming regularly and dry cleaning
Fire resistant: Yes



UPHOLSTERY FABRIC: MAGNUM FROM ABITEX / CATEGORY 2

POINTS, CUBES, POD ROLLS
Composition: 88% PVC, 7% PL, 4%CO, 1% PU
Durability: 200.000 Martindale
Lightfastness: 7
Crocking: 5, wet and dry
Cleaning: Wipe up regularly with damp cloth
Fire resistant: Yes



UPHOLSTERY FABRIC: BLAZER FROM CAMIRA / CATEGORY 2

POINTS, CUBEs, POD ROLLS

Composition: 100% Virgin Wool

Durability: 50.000 Martindale

Lightfastness: 5

Crocking: 4, wet and dry

Sustainability: Complies with EU ecolabel "The Flower", Biodegradable









































Cleaning: Vacuuming and dry cleaning

Fire resistant: Yes



UPHOLSTERY FABRIC: SYNERGY FROM CAMIRA / CATEGORY 2

POINTS, CUBES, POD ROLLS
Composition: 95% Virgin wool, 5% Polyamide
Durability: 100.000 Martindale
Pilling: 4
Lightfastness: 5
Cleaning: vacuuming and dry cleaning
Fire resistant: Yes

											
LDS05	LDS07	LDS08	LDS16	LDS17	LDS18	LDS19	LDS20	LDS21	LDS22	LDS23	LDS24
											
LDS25	LDS26	LDS27	LDS28	LDS29	LDS31	LDS32	LDS33	LDS34	LDS35	LDS36	LDS37
											
LDS38	LDS39	LDS40	LDS41	LDS42	LDS43	LDS44	LDS45	LDS46	LDS47	LDS48	LDS49
											
LDS50	LDS51	LDS52	LDS53	LDS54	LDS55	LDS56	LDS57	LDS58	LDS59	LDS60	LDS61
											
LDS62	LDS63	LDS64	LDS65	LDS66	LDS67	LDS68	LDS69	LDS70	LDS59	LDS60	LDS61

UPHOLSTERY FABRIC: SYNERGY FROM CAMIRA / CATEGORY 2

POINTS, CUBEs, POD ROLLs
Composition: 95% Virgin wool, 5% Polyamide
Durability: 100.000 Martindale
Pilling: 4
Lightfastness: 5
Cleaning: vacuuming and dry cleaning
Fire resistant: Yes



UPHOLSTERY FABRIC: CRISP FROM GABRIEL / CATEGORY 2



POINTS, CUBES, POD ROLLS

Composition: 93% wools of New Zealand, 7% polyamide

Durability: 200.000 Martindale

Pilling: 4-5


Lightfastness: 5-7

Crocking: 4-5

Sustainability: Complies with EU ecolabel “The Flower” and Oeko-Tex Standard, free of heavy metals

Cleaning: Dry cleaning

Fire resistant: Yes



UPHOLSTERY FABRIC: FAME FROM GABRIEL / CATEGORY 2

POINTS, CUBE, POD ROLLS

Composition: 95% wools of New Zealand, 5% polyamide

Durability: 200.000 Martindale

Pilling: 4

Lightfastness: 5-7

Crocking: 4-5, wet and dry

Sustainability: Complies with EU ecolabel "The Flower" and Oeko-Tex Standard, free of heavy metals

Cleaning: Dry cleaning

Fire resistant: Yes



UPHOLSTERY FABRIC: NOTE FROM GABRIEL / CATEGORY 2



POINTS, CUBES, POD ROLLS
Composition: 85% wools of New Zealand, 15% polyamide
Durability: 200.000 Martindale
Pilling: 4
Lightfastness: 5-8
Crocking: 4/wet, 4-5/dry
Sustainability: Complies with EU ecolabel “The Flower” and Oeko-Tex Standard, free of heavy metals
Cleaning: vacuuming and dry cleaning
Fire resistant: Yes

60003	60004	60005	60051	60087	60088	60999	61125	61146	61147	61148	62003
62041	63036	63077	64019	64119	64146	65088	65089	66010	66069	66071	66144
66146	67033	67066	68005	68155	68156						

UPHOLSTERY FABRIC: REMIX 2 FROM KVADRAT / CATEGORY 2

POINTS, CUBEs, POD ROLLS

Composition: 90% new wool worsted, 10% Nylon

Durability: 100.000 Martindale

Pilling: 3-4

Lightfastness: 5-7

Crocking: 4/wet, 4-5/dry

Sustainability: Complies with EU ecolabel "The Flower"

Cleaning: Dry cleaning


Fire resistant: Yes



113 123 133 143 152 163 173 183 223 233 242 252




362 373 383 393 412 422 433 443 452 543 612 632



643 653 662 672 682 692 722 733 743 753 762 773



783 823 842 852 873 912 923 933 942 954 962 973



982

UPHOLSTERY FABRIC: HALLINGDAL 65 FROM KVADRAT / CATEGORY 3

POINTS, CUBES, POD ROLLS

Composition: 70% New wool, 30% Viscose

Durability: 100.000 Martindale

Pilling: 3

Lightfastness: 7

Sustainability: Complies with EU ecolabel "The Flower"

Cleaning: Dry cleaning

Fire resistant: Yes



UPHOLSTERY FABRIC: STEELCUT TRIO 3 FROM KVADRAT / CATEGORY 3

POINTs, CUBEs, POD ROLLs

Composition: 90% New wool worsted, 10% Nylon

Durability: 100.000 Martindale

Pilling: 4

Lightfastness: 5

Crocking: 4/wet, 4-5/dry

Sustainability: Complies with EU ecolabel "The Flower"

Cleaning: Dry cleaning

Fire resistant: Yes



UPHOLSTERY FABRIC: ULTRALEATHER ORIGINAL FROM ULTRAFABRICS / CATEGORY 3



POINTS, CUBES, POD ROLLS
Composition: 100% Polyurethane Surface, 100% Reinforced Rayon Backing
Durability: 180.000 Martindale
Lightfastness: 4-5
Crocking: 5 wet and dry
Sustainability: Greenguard Certified
Cleaning: Wipe up regularly with damp cloth
Fire resistant: Yes

291-0001	291-1176	291-1256	291-1311	291-1312	291-1315	291-1334	291-1347	291-2478	291-2527	291-2551	291-2552
291-2553	291-2555	291-2556	291-2685	291-3183	291-3205	291-3455	291-3458	291-3469	291-3470	291-3491	291-3523
291-3599	291-3601	291-3602	291-3609	291-3610	291-3612	291-3666	291-3700	291-3719	291-3720	291-3729	291-3777
291-3778	291-3779	291-3850	291-3851	291-3925	291-3926	291-4262	291-4351	291-4352	291-4430	291-4454	291-4460
291-5243	291-5250	291-5255	291-5607	291-5666	291-5668	291-5676	291-5684	291-5708	291-5714	291-5763	291-5714

UPHOLSTERY FABRIC: ULTRALEATHER ORIGINAL FROM ULTRAFABRICS / CATEGORY 3

POINTs, CUBEs, POD ROLLs
Composition: 100% Polyurethane Surface, 100% Reinforced Rayon Backing
Durability: 180.000 Martindale
Lightfastness: 4-5
Crocking: 5 wet and dry
Sustainability: Greenguard Certified
Cleaning: Wipe up regularly with damp cloth
Fire resistant: Yes

