











































































MANI WOOD 4L		DESIGN: WELLINGLUDWIK		1001	
	<b>Description:</b> chair with chromed or painted steel frame and shell in 3D plywood.				
	<b>Use:</b> indoor				
	<div><div> 4</div><div> 10 <sup>A</sup> 17 <sup>D</sup></div><div> 0,28 <sup>A</sup> 0,23 <sup>D</sup></div><div> 2 <sup>A</sup> 4 <sup>D</sup></div><div> 1</div></div>				
	<div><div></div><div> 10</div></div>				
<b>END USE</b>		Seating for outdoor furnishings suitable to fit into bars, restaurants, public spaces but also perfect to furnish residential spaces.			
<b>COMPONENTS</b>		The <b>frame</b> is composed of metal tubes, round section, Ø16 mm, chromium plated or powder coated with polyester varnish of the following colours: black (RAL9005), white (RAL9016); or liquid painting, brass and copper. For outdoor use, frame first cataphoretically-treated and then powder coated. (The finishings must be considered as simil-RAL).			
		The <b>shell</b> is made of polypropylene (PP), injection-moulded, available with the following colours: white, black, dove, graphite, olive and raspberry.			
		On request <b>fixed cushion</b> , padded with polyurethane foam and upholstered with fabrics chosen by the customers.			
		<b>Stackability buffers</b> are made of plastic material (EVA), neutral coloured.			
		Available <b>linking device</b> (art.978) for conference room, to be matched with <b>plastic carter</b> (art.977).			
<b>REQUIREMENTS</b>		The <b>glide plugs</b> are made of plastic material black coloured or transparent. On request glide plugs with felted surface, <b>tilt glide plugs</b> with plastic slide base or felted slide base available.			
		<b>Trolley</b> (art.712) can transport up to 8 chairs, plastic version.			
		<b>Packaging</b> is made of corrugated double wave cardboard box and protective elements. It contains 4 pcs disassembled (4 shells + 4 frames) or 2 pcs assembled (2 shells + 2 frames).			
<b>ORDINARY CLEANING AND MAINTENANCE</b>		<b>REACH:</b> is the European Union regulation that addresses the production and use of chemical substances. This product contains only substances compliant with the abovementioned regulation and does not contain any “substance of very high concern” (SVHC).			
		Any spills should be wiped up immediately with a clean, dry rag. Use neutral detergents only. Avoid cleaning with abrasive sponges.			
		Before stocking during invernial period, for <b>outdoor</b> frame, clean metal parts (frame surfaces, screws) with neutral detergents diluted with warm water or simply water, then treat these components with vaseline oil in case wear is heavy. Keep chairs in a dry and sheltered place. In case the product is placed in highly corrosive enviroments, wash weekly with water and dry with a soft rag.			
<b>EXTRAORDINARY MAINTENANCE</b>		Supplier suggested personnel only.			
<b>PRECAUTIONS FOR USE</b>		The chair must be used with its four legs resting on the floor at all times. Do not sit on the back. Do not stand on the chair. Check periodically that the screws are correctly tightened. Be careful not to sit off the seating centre. Please keep away from any heating source. The product could change the colour and shade, if exposed to direct sunlight. In case of children use, please consider the supervision of an adult.			
		<i>Armet srl is not liable for any damage that may result from the product misuse.</i>			
		<b>Harmful substances</b> This product is not toxic nor hazardous to human health, animals or environment.			
<b>ECOLOGY</b>		<b>Waste disposal</b> Dispose this product responsibly after use at the end of its life. Please utilise the waste collection and recycling service operated by your local authority, or take it to a suitable recycling point. This products can be easily disassembled, facilitating disposal.			
<b>WARRANTY</b>		24 + 2 months as referred to in 99/44/CE European directive.			
This product datasheet comply with Italian regulation (D.Lgs 6th September 2005, n. 206 “Codice del Consumo”), on the subject of consumer information and implementation tool.					

MANI WOOD SL		DESIGN: WELLINGLUDWIK		1002	
		<b>Description:</b> sled chair with chromed or painted steel frame and shell in 3D plywood.			
		<b>Use:</b> indoor			
		<div><div> 5,6</div><div> 13,2 <sup>A</sup> 23,4 <sup>D</sup></div><div> 0,28 <sup>A</sup> 0,23 <sup>D</sup></div><div> 2 <sup>A</sup> 4 <sup>D</sup></div><div> 1</div></div>			
		<div><div> 80,5</div><div> 45</div><div> 55,5</div><div> 54</div><div></div><div></div><div></div><div> 10</div><div></div></div>			
<b>END USE</b>		Seating suitable to furnish different areas: bars, restaurants, public spaces, libraries, conference rooms, waiting rooms but also perfect to fit into residential spaces.			
<b>COMPONENTS</b>		The <b>frame</b> is composed of steel rods, round section, Ø12 mm, chromium plated or powder coated with polyester varnish of the following colours: black (RAL9005), white (RAL9016); or liquid painting, brass and copper. (The finishings must be considered as simil-RAL).			
		The <b>shell</b> is made of polypropylene (PP), injection-moulded, available with the following colours: white, black, dove, graphite, olive and raspberry.			
		On request <b>fixed cushion</b> , padded with polyurethane foam and upholstered with fabrics chosen by the customers.			
		<b>Gliders</b> are made of plastic material, neutral coloured inserted into pre drilled holes on sled base. On request gliders with felted surface.			
		Available <b>linking device</b> (art.978) for conference room, to be matched with <b>plastic carter</b> (art.977).			
		<b>Trolley</b> (art.978) can transport up to 10 chairs, plastic version.			
		<b>Packaging</b> is made of corrugated double wave cardboard box and protective elements. It contains 4 pcs disassembled (4 shells + 4 frames) or 2 pcs assembled (2 shells + 2 frames).			
<b>REQUIREMENTS</b>		<b>REACH:</b> is the European Union regulation that addresses the production and use of chemical substances. This product contains only substances compliant with the abovementioned regulation and does not contain any “substance of very high concern” (SVHC).			
<b>ORDINARY CLEANING AND MAINTENANCE</b>		Any spills should be wiped up immediately with a clean, dry rag. Use neutral detergents only. Avoid cleaning with abrasive sponges.			
<b>EXTRAORDINARY MAINTENANCE</b>		Supplier suggested personnel only.			
<b>PRECAUTIONS FOR USE</b>		The chair must be used with its four legs resting on the floor at all times. Do not sit on the back. Do not stand on the chair. Check periodically that the screws are correctly tightened. Be careful not to sit off the seating centre. Please keep away from any heating source. The product could change the colour and shade, if exposed to direct sunlight. In case of children use, please consider the supervision of an adult.  <i>Arrmet srl is not liable for any damage that may result from the product misuse.</i>			
<b>ECOLOGY</b>		<b>Harmful substances</b> This product is not toxic nor hazardous to human health, animals or environment.			
		<b>Waste disposal</b> Dispose this product responsibly after use at the end of its life. Please utilise the waste collection and recycling service operated by your local authority, or take it to a suitable recycling point. This products can be easily disassembled, facilitating disposal.			
<b>WARRANTY</b>		24 + 2 months as referred to in 99/44/CE European directive.			
This product datasheet comply with Italian regulation (D.Lgs 6th September 2005, n. 206 “Codice del Consumo”), on the subject of consumer information and implementation tool.					

MANI WOOD AR-SL		DESIGN: WELLINGLUDWIK		1004	
	<b>Description:</b> chair with armrests with chromed or painted steel sled frame and shell in 3D plywood.				
	<b>Use:</b> indoor				
	 6,4	 14,8 <sup>A</sup> 26,6 <sup>D</sup>	 0,32 <sup>A</sup> 0,27 <sup>D</sup>	 2 <sup>A</sup> 4 <sup>D</sup>	 1
	 80,5	 45	 59	 54	 66
<b>END USE</b>		Seating for outdoor furnishings suitable to fit into bars, restaurants, public spaces but also perfect to furnish residential spaces.			
<b>COMPONENTS</b>		The <b>frame</b> is composed of metal rods, round section, Ø12 mm, chromium plated or powder coated with polyester varnish of the following colours: black (RAL9005), white (RAL9016); or liquid painting, brass and copper. (The finishings must be considered as simil-RAL).			
		The <b>shell</b> is made of polypropylene (PP), injection-moulded, available with the following colours: white, black, dove, graphite, olive and raspberry.			
		On request <b>fixed cushion</b> , padded with polyurethane foam and upholstered with fabrics chosen by the customers.			
		<b>Stackability buffers</b> are made of plastic material (EVA), neutral coloured.			
		<b>Gliders</b> are made of plastic material, neutral coloured inserted into pre drilled holes on sled base. On request gliders with felted surface.			
<b>REQUIREMENTS</b>		Available <b>linking device</b> (art.978) for conference room, to be matched with <b>plastic carter</b> (art.977).			
		<b>Trolley</b> (art.978) can transport up to 8 chairs, upholstered version.			
		<b>Packaging</b> is made of corrugated double wave cardboard box and protective elements. It contains 4 pcs disassembled (4 shells + 4 frames) or 2 pcs assembled (2 shells + 2 frames)			
<b>ORDINARY CLEANING AND MAINTENANCE</b>		Any spills should be wiped up immediately with a clean, dry rag. Use neutral detergents only. Avoid cleaning with abrasive sponges.			
<b>EXTRAORDINARY MAINTENANCE</b>		Supplier suggested personnel only.			
<b>PRECAUTIONS FOR USE</b>		The chair must be used with its four legs resting on the floor at all times. Do not sit on the back. Do not stand on the chair. Check periodically that the screws are correctly tightened. Be careful not to sit off the seating centre. Please keep away from any heating source. The product could change the colour and shade, if exposed to direct sunlight. In case of children use, please consider the supervision of an adult.			
		<i>Armet srl is not liable for any damage that may result from the product misuse.</i>			
<b>ECOLOGY</b>		<b>Harmful substances</b> This product is not toxic nor hazardous to human health, animals or environment.			
		<b>Waste disposal</b> Dispose this product responsibly after use at the end of its life. Please utilise the waste collection and recycling service operated by your local authority, or take it to a suitable recycling point. This products can be easily disassembled, facilitating disposal.			
<b>WARRANTY</b>		24 + 2 months as referred to in 99/44/CE European directive.			
<small>This product datasheet comply with Italian regulation (D.Lgs 6th September 2005, n. 206 "Codice del Consumo"), on the subject of consumer information and implementation tool.</small>					

MANI WOOD AR-4L		DESIGN: WELLINGLUDWIK		1003			
	<b>Description:</b> chair with armrests with chromed or painted steel frame and shell in 3D plywood.						
	<b>Use:</b> indoor- outdoor						
	 4,9	 11,8 <sup>A</sup> 20,6 <sup>D</sup>	 0,32 <sup>A</sup> 0,27 <sup>D</sup>	 2 <sup>A</sup> 4 <sup>D</sup>	 1		
	 80,5	 45	 60	 53	 66		
						 8	
END USE		Seating for outdoor furnishings suitable to fit into bars, restaurants, public spaces but also perfect to furnish residential spaces.					
COMPONENTS		The <b>frame</b> is composed of metal tubes, round section, Ø16 mm, chromium plated or powder coated with polyester varnish of the following colours: black (RAL9005), white (RAL9016); or liquid painting, brass and copper. For outdoor use, frame first cataphoretically-treated and then powder coated. (The finishings must be considered as simil-RAL).					
		The <b>shell</b> is made of polypropylene (PP), injection-moulded, available with the following colours: white, black, dove, graphite, olive and raspberry.					
		On request <b>fixed cushion</b> , padded with polyurethane foam and upholstered with fabrics chosen by the customers.					
		<b>Stackability buffers</b> are made of plastic material (EVA), neutral coloured.					
		Available <b>linking device</b> (art.978) for conference room, to be matched with <b>plastic carter</b> (art.977).					
REQUIREMENTS		Available <b>hpl writing tablet</b> (art.976) or <b>plastic writing tablet</b> (art.979). <b>Plastic carter</b> (art.977) allows stackability for chair frames with writing tablet.					
		The <b>glide plugs</b> are made of plastic material black coloured or transparent. On request glide plugs with felted surface, <b>tilt glide plugs</b> with plastic slide base or felted slide base available.					
		<b>Trolley</b> (art.712) can transport up to 8 chairs, plastic version.					
		<b>Packaging</b> is made of corrugated double wave cardboard box and protective elements. It contains 4 pcs disassembled (4 shells + 4 frames) or 2 pcs assembled (2 shells + 2 frames).					
		<b>REACH:</b> is the European Union regulation that addresses the production and use of chemical substances. This product contains only substances compliant with the abovementioned regulation and does not contain any "substance of very high concern" (SVHC).					
ORDINARY CLEANING AND MAINTENANCE		Any spills should be wiped up immediately with a clean, dry rag. Use neutral detergents only. Avoid cleaning with abrasive sponges.					
		Before stocking during invernial period, for <b>outdoor</b> frame, clean metal parts (frame surfaces, screws) with neutral detergents diluted with warm water or simply water, then treat these components with vaseline oil in case wear is heavy. Keep chairs in a dry and sheltered place. In case the product is placed in highly corrosive enviroments, wash weekly with water and dry with a soft rag.					
		EXTRAORDINARY MAINTENANCE Supplier suggested personnel only.					
PRECAUTIONS FOR USE		The chair must be used with its four legs resting on the floor at all times. Do not sit on the back. Do not stand on the chair. Check periodically that the screws are correctly tightened. Be careful not to sit off the seating centre. Please keep away from any heating source. The product could change the colour and shade, if exposed to direct sunlight. In case of children use, please consider the supervision of an adult.					
		Armet srl is not liable for any damage that may result from the product misuse.					
		<b>Harmful substances</b> This product is not toxic nor hazardous to human health, animals or environment.					
		<b>Waste disposal</b> Dispose this product responsibly after use at the end of its life. Please utilise the waste collection and recycling service operated by your local authority, or take it to a suitable recycling point. This products can be easily disassembled, facilitating disposal.					
WARRANTY		24 + 2 months as referred to in 99/44/CE European directive.					
This product datasheet comply with Italian regulation (DLgs 6th September 2005, n. 206 "Codice del Consumo"), on the subject of consumer information and implementation tool.							

MANI WOOD SP		DESIGN: WELLINGLUDWIK		1007	
	<b>Description:</b> swivel chair with 4-rays base made of polished or painted aluminum and 3D plywood.				
	<b>Use:</b> indoor				
	 7,6	 9,6 <sup>A</sup> 8,6 <sup>D</sup>	 0,32 <sup>A</sup> 0,17 <sup>D</sup>	 1 <sup>A</sup> 1 <sup>D</sup>	 1
					
<b>END USE</b>		Seating suitable to furnish different areas: bars, restaurants, public spaces, libraries, conference rooms, waiting rooms but also perfect to fit into residential spaces.			
<b>COMPONENTS</b>		<p>The <b>frame</b> is composed of a swivel die-cast aluminium trestle. The trestle is available with the following finishing: polished aluminium or powder coated with polyester varnish black (RAL9005) and traffic white (RAL9016). Seat and base fixing support in sheet metal. (The finishings must be considered as simil-RAL).</p> <p>The <b>shell</b> is made of polypropylene (PP), injection-moulded, available with the following colours: white, black, dove, graphite, olive and raspberry.</p> <p>On request <b>fixed cushion</b>, padded with polyurethane foam and upholstered with fabrics chosen by the customers.</p> <p>The <b>glide plugs</b> are made of plastic material black coloured or transparent with felted surface.</p> <p><b>Packaging</b> is made of corrugated double wave cardboard box and protective elements. It contains 1 pc disassembled (1 shell + 1 frames) or 1 pc assembled (1 shell + 1 frame).</p>			
<b>REQUIREMENTS</b>		<p><b>REACH:</b> is the European Union regulation that addresses the production and use of chemical substances. This product contains only substances compliant with the abovementioned regulation and does not contain any “substance of very high concern” (SVHC).</p>			
<b>ORDINARY CLEANING AND MAINTENANCE</b>		<p>Any spills should be wiped up immediately with a clean, dry rag. Use neutral detergents only. Avoid cleaning with abrasive sponges.</p>			
<b>EXTRAORDINARY MAINTENANCE</b>		<p>Supplier suggested personnel only.</p>			
<b>PRECAUTIONS FOR USE</b>		<p>The chair must be used with its four legs resting on the floor at all times. Do not sit on the back. Do not stand on the chair. Check periodically that the screws are correctly tightened. Be careful not to sit off the seating centre. Please keep away from any heating source. The product could change the colour and shade, if exposed to direct sunlight. In case of children use, please consider the supervision of an adult.</p> <p><i>Armet srl is not liable for any damage that may result from the product misuse.</i></p>			
<b>ECOLOGY</b>		<p><b>Harmful substances</b> This product is not toxic nor hazardous to human health, animals or environment.</p> <p><b>Waste disposal</b> Dispose this product responsibly after use at the end of its life. Please utilise the waste collection and recycling service operated by your local authority, or take it to a suitable recycling point. This products can be easily disassembled, facilitating disposal.</p>			
<b>WARRANTY</b>		24 + 2 months as referred to in 99/44/CE European directive.			
<small>This product datasheet comply with Italian regulation (D.Lgs 6th September 2005, n. 206 “Codice del Consumo”), on the subject of consumer information and implementation tool.</small>					

MANI WOOD HO		DESIGN: WELLINGLUDWIK		1008	
	<b>Description:</b> home-office swivel chair with height-adjustable base, polished or painted aluminum 5-spoke and 3D plywood.				
	<b>Use:</b> indoor				
	 9,2	 11,2 <sup>A</sup> 10,2 <sup>D</sup>	 0,41 <sup>A</sup> 0,19 <sup>D</sup>	 1 <sup>A</sup> 1 <sup>D</sup>	 1
	 80,5  45  64  53			   	
<b>END USE</b>		Seating suitable to furnish different areas: public spaces, libraries, conference rooms, waiting rooms but also perfect to fit into residential spaces.			
<b>COMPONENTS</b>		<p>The <b>frame</b> is composed of a die-cast aluminium base with castors and a gas piston. <b>Base</b> and <b>gas piston</b> are available with the following finishing: chromium plated or powder coated black (RAL9005). Gas piston height adjustment mechanism operated by a steel lever. Seat and base fixing support in sheet metal. (The finishings must be considered as simil-RAL).</p> <p>The <b>shell</b> is made of polypropylene (PP), injection-moulded, available with the following colours: white, black, dove, graphite, olive and raspberry.</p> <p>On request <b>fixed cushion</b>, padded with polyurethane foam and upholstered with fabrics chosen by the customers.</p> <p><b>Castors</b> are in black plastic material, self-breaking.</p> <p><b>Packaging</b> is made of corrugated double wave cardboard box and protective elements. It contains 4 pcs disassembled (4 shells + 4 frames) or 2 pcs assembled (2 shells + 2 frames).</p>			
<b>REQUIREMENTS</b>		<p><b>REACH:</b> is the European Union regulation that addresses the production and use of chemical substances. This product contains only substances compliant with the abovementioned regulation and does not contain any “substance of very high concern” (SVHC).</p>			
<b>ORDINARY CLEANING AND MAINTENANCE</b>		<p>Any spills should be wiped up immediately with a clean, dry rag. Use neutral detergents only. Avoid cleaning with abrasive sponges.</p>			
<b>EXTRAORDINARY MAINTENANCE</b>		Supplier suggested personnel only.			
<b>PRECAUTIONS FOR USE</b>		<p>The chair must be used with its five castors resting on the floor at all times. Do not sit on the back. Do not stand on the chair. Check periodically that the screws are correctly tightened. Be careful not to sit off the seating centre. Please keep away from any heating source. The product could change the colour and shade, if exposed to direct sunlight. In case of children use, please consider the supervision of an adult.</p> <p><i>Arrmet srl is not liable for any damage that may result from the product misuse.</i></p>			
<b>ECOLOGY</b>		<p><b>Harmful substances</b> This product is not toxic nor hazardous to human health, animals or environment.</p> <p><b>Waste disposal</b> Dispose this product responsibly after use at the end of its life. Please utilise the waste collection and recycling service operated by your local authority, or take it to a suitable recycling point. This products can be easily disassembled, facilitating disposal.</p>			
<b>WARRANTY</b>		24 + 2 months as referred to in 99/44/CE European directive.			
<p><i>This product datasheet comply with Italian regulation (D.Lgs 6th September 2005, n. 206 “Codice del Consumo”), on the subject of consumer information and implementation tool.</i></p>					



**Description:** home-office chair with polished or painted aluminum 4-spoke base and 3D plywood.

**Use:** indoor



## END USE

Seating suitable to furnish different areas: public spaces, libraries, conference rooms, waiting rooms but also perfect to fit into residential spaces.

The **frame** is composed of a swivel die-cast aluminium trestle. The trestle is available with the following finishing: polished aluminium or powder coated with polyester varnish black (RAL9005) and traffic white (RAL9016). Seat and base fixing support in sheet metal.  
(The finishings must be considered as simil-RAL).

## COMPONENTS

The **shell** is made of polypropylene (PP), injection-moulded, available with the following colours: white, black, dove, graphite, olive and raspberry.

On request **fixed cushion**, padded with polyurethane foam and upholstered with fabrics chosen by the customers.

**Packaging** is made of corrugated double wave cardboard box and protective elements. It contains 4 pcs disassembled (4 shells + 4 frames) or 2 pcs assembled (2 shells + 2 frames).

## REQUIREMENTS

**REACH:** is the European Union regulation that addresses the production and use of chemical substances. This product contains only substances compliant with the abovementioned regulation and does not contain any "substance of very high concern" (SVHC).

## ORDINARY CLEANING AND MAINTENANCE

Any spills should be wiped up immediately with a clean, dry rag.  
Use neutral detergents only.  
Avoid cleaning with abrasive sponges.

## EXTRAORDINARY MAINTENANCE

Supplier suggested personnel only.

## PRECAUTIONS FOR USE

The chair must be used with its four castors resting on the floor at all times.  
Do not sit on the back.  
Do not stand on the chair.  
Check periodically that the screws are correctly tightened.  
Be careful not to sit off the seating centre.  
Please keep away from any heating source.  
The product could change the colour and shade, if exposed to direct sunlight.  
In case of children use, please consider the supervision of an adult.

*Arrmet srl is not liable for any damage that may result from the product misuse.*

## ECOLOGY

### Harmful substances

This product is not toxic nor hazardous to human health, animals or environment.








### Waste disposal

Dispose this product responsibly after use at the end of its life.  
Please utilise the waste collection and recycling service operated by your local authority, or take it to a suitable recycling point.  
This products can be easily disassembled, facilitating disposal.

## WARRANTY

24 + 2 months as referred to in 99/44/CE European directive.

*This product datasheet comply with Italian regulation (D.Lgs 6th September 2005, n. 206 "Codice del Consumo"), on the subject of consumer information and implementation tool.*

MANI WOOD 4L PLUS		DESIGN: WELLINGLUDWIK		1005	
	<b>Description:</b> chair with chromed or painted steel frame and shell in 3D plywood.				
	<b>Use:</b> indoor				
	 7,1	 9,1 <sup>A</sup> 15,2 <sup>D</sup>	 0,24 <sup>A</sup> 0,24 <sup>D</sup>	 1 <sup>A</sup> 2 <sup>D</sup>	 1
					
END USE	Seating suitable to furnish different areas: bars, restaurants, public spaces, libraries, conference rooms, waiting rooms but also perfect to fit into residential spaces.				
COMPONENTS	The <b>frame</b> is composed of metal tubes, round section, Ø25 mm, chromium plated or powder coated with polyester varnish of the following colours: black (RAL9005), white (RAL9016); or liquid painting, brass and copper. (The finishings must be considered as simil-RAL).				
	The <b>shell</b> is made of polypropylene (PP), injection-moulded, available with the following colours: white, black, dove, graphite, olive and raspberry.				
	On request <b>fixed cushion</b> , padded with polyurethane foam and upholstered with fabrics chosen by the customers.				
REQUIREMENTS	The <b>glide plugs</b> are made of plastic material, black coloured.				
	<b>Packaging</b> is made of corrugated double wave cardboard box and protective elements. It contains 2 pcs disassembled (2 shells + 2 frames) or 1 pc assembled (1 shells + 1 frames).				
	Fabrics, simil-leather and leather as "Materials" folder, downloadable from website.				
ORDINARY CLEANING AND MAINTENANCE	<b>REACH:</b> is the European Union regulation that addresses the production and use of chemical substances. This product contains only substances compliant with the abovementioned regulation and does not contain any "substance of very high concern" (SVHC).				
EXTRAORDINARY MAINTENANCE	Any spills should be wiped up immediately with a clean, dry rag. Use neutral detergents only. Avoid cleaning with abrasive sponges.				
PRECAUTIONS FOR USE	Supplier suggested personnel only.				
ECOLOGY	The chair must be used with its four legs resting on the floor at all times. Do not sit on the back. Do not stand on the chair. Check periodically that the screws are correctly tightened. Be careful not to sit off the seating centre. Please keep away from any heating source. The product could change the colour and shade, if exposed to direct sunlight. In case of children use, please consider the supervision of an adult.				
	<i>Arrmet srl is not liable for any damage that may result from the product misuse.</i>				
	<b>Harmful substances</b> This product is not toxic nor hazardous to human health, animals or environment.				
WARRANTY	<b>Waste disposal</b> Dispose this product responsibly after use at the end of its life. Please utilise the waste collection and recycling service operated by your local authority, or take it to a suitable recycling point. This products can be easily disassembled, facilitating disposal.				
24 + 2 months as referred to in 99/44/CE European directive.					
This product datasheet comply with Italian regulation (D.Lgs 6th September 2005, n. 206 "Codice del Consumo"), on the subject of consumer information and implementation tool.					



# MANI WOOD 4WL


DESIGN: WELLINGLUDWIK

1006



**Description:** chair with natural ashwood frame and shell in 3D plywood..

**Use:** indoor



## END USE

Seduta per il mercato home e contract adatta nell'arredo di casa, sale riunioni, sale conferenza, aree ricreazione, sale d'attesa, ristoranti e bar.

The **frame** is composed of 4-legs wooden frame in solid ash, round section, natural varnished, white aniline, black aniline and wengé aniline. Wood is water-based varnished.

The **shell** is made of polypropylene (PP), injection-moulded, available with the following colours: white, black, dove, graphite, olive and raspberry.

## COMPONENTS

On request **fixed cushion**, padded with polyurethane foam and upholstered with fabrics chosen by the customers.

**Gliders** are made of plastic material, black coloured. On request glides with felt slide base or glides for carpet are available.

**Packaging** is made of corrugated double wave cardboard box and protective elements. It contains 2 pcs disassembled (2 shells + 2 frames) or 1 pcs assembled (1 shells + 1 frames).

## REQUIREMENTS

**REACH:** is the European Union regulation that addresses the production and use of chemical substances. This product contains only substances compliant with the abovementioned regulation and does not contain any "substance of very high concern" (SVHC).

## ORDINARY CLEANING AND MAINTENANCE

Any spills should be wiped up immediately with a clean, dry rag.  
Use neutral detergents only.  
Avoid cleaning with abrasive sponges.

## EXTRAORDINARY MAINTENANCE

Supplier suggested personnel only.

## PRECAUTIONS FOR USE

The chair must be used with its four legs resting on the floor at all times.  
Do not sit on the back.  
Do not stand on the chair.  
Check periodically that the screws are correctly tightened.  
Be careful not to sit off the seating centre.  
Please keep away from any heating source.  
The product could change the colour and shade, if exposed to direct sunlight.  
In case of children use, please consider the supervision of an adult.

*Arrmet srl is not liable for any damage that may result from the product misuse.*

## ECOLOGY

**Harmful substances**  
This product is not toxic nor hazardous to human health, animals or environment.





















**Waste disposal**  
Dispose this product responsibly after use at the end of its life.  
Please utilise the waste collection and recycling service operated by your local authority, or take it to a suitable recycling point.  
This products can be easily disassembled, facilitating disposal.

## WARRANTY

24 + 2 months as referred to in 99/44/CE European directive.

*This product datasheet comply with Italian regulation (D.Lgs 6th September 2005, n. 206 "Codice del Consumo"), on the subject of consumer information and implementation tool.*

## SYMBOLS

	VOLUME (m³) VOLUME		IMPILABILITÀ (max ) STACKABILITY		ALTEZZA (cm ) HEIGHT
	PESO NETTO (kg ) NET WEIGHT		ADATTO PER ESTERNO SUITABLE FOR OUTDOOR		SEDUTA (cm ) SEAT
	PESO COLLO (kg ) BOX WEIGHT		CONSUMO TESSUTO (cm /pz H140) NEEDED FABRIC (cm/pc H140)		LARGHEZZA (cm ) WIDHT
	PEZZI PER COLLO PIECES PER BOX		CONSUMO PELLE (m²) NEEDED LEATHER		PROFONDITÀ (cm ) DEPHT
	NUMERO COLLI BOXES NUMBER		NON IMPILABILE NOT STACKABLE		BRACCIOLO (cm ) ARMREST
			NON ADATTO PER ESTERNO NOT SUITABLE FOR OUTDOOR		ALTEZZA TAVOLO (cm ) TABLE HEIGHT
					LARGHEZZA (cm ) WIDTH
					PROFONDITÀ (cm ) DEPTH
					DIAMETRO (cm ) DIAMETER

A = ASSEMBLATO / ASSEMBLED

D = DISASSEMBLATO / DISASSEMBLED

VI INVITIAMO A LEGGERE LE NOTE, CONTENGONO INFORMAZIONI IMPORTANTI

PLEASE READ CAREFULLY THE NOTES, WHICH CONTAIN IMPORTANT INFORMATION