MANI PLASTIC SP	DESIGN: WELLINGLUDWIK 957					
	Description : swivel chair with 4-rays base made of polished or painted aluminum and polypropylene seat.					
	Use: indoor					
	81					
	80,5 45 48 52 27 27 3					
END USE	Seating suitable to furnish different areas: bars, restaurants, public spaces, libraries, conference rooms, waiting rooms but also perfect to fit into residential spaces.					
	The frame is composed of a swivel die-cast alluminium trestle. The trestle is available with the following finishing: polished aluminium or powder coated with polyester varnish black (RAL9005) and traffic white (RAL9016). Seat and base fixing support in sheet metal. (The finishings must be considered as simil-RAL).					
COMPONENTS	The shell is made of polypropylene (PP), injection-moulded, available with the following colours: white, black, dove, graphite, olive, raspberry and powder blue.					
	The glide plugs are made of plastic material black coloured or transparent with felted surface.					
	Packaging is made of corrugated double wave cardboard box and protective elements. It contains 1 pc disassembles (1 shell + 1 frames) or 1 pc assembled (1 shell + 1 frame).					
REQUIREMENTS	REACH : is the European Union regulation that addresses the production and use of chemical substances. This product contains only substances compliant with the abovementioned regulation and does not contain any "substance of very high concern" (SVHC).					
ORDINARY CLEANING AND MAINTENANCE	Any spills should be wiped up immediately with a clean, dry rag. Use neutral detergents only. Avoid cleaning with abrasive sponges.					
EXTRAORDINARY MAINTENANCE	Supplier suggested personnel only.					
PRECAUTIONS FOR USE	The chair must be used with its four legs resting on the floor at all times. Do not sit on the back. Do not stand on the chair. Check periodically that the screws are correctly tightened. Be careful not to sit off the seating centre. Please keep away from any heating source. The product could change the colour and shade, if exposed to direct sunlight. In case of children use, please consider the supervision of an adult.					
	Arrmet srl is not liable for any damage that may result from the product misuse.					
	Harmful substances This product is not toxic nor hazardous to human health, animals or environment.					
ECOLOGY	Waste disposal Dispose this product responsibly after use at the end of its life. Please utilise the waste collection and recycling service operated by your local authority, or take it to a suitable recycling point. This products can be easily disassembled, facilitating disposal.					
WARRANTY	24 + 2 months as referred to in 99/44/CE European directive.					
	The state of the s					

MANI CUSHION SP	DESIGN: WELLINGLUDWIK 970						
	Description : swivel chair with 4-rays base made of polished or painted aluminum, polypropylene seat with fixed cushion.						
	Use: indoor						
	8,8 10,8 A 9,8 b 10,17 b 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1						
	80,5 46 48 52 7 30 \$ 0,50						
END USE	Seating suitable to furnish different areas: bars, restaurants, public spaces, libraries, conference rooms, waiting rooms but also perfect to fit into residential spaces.						
	The frame is composed of a swivel die-cast alluminium trestle. The trestle is available with the following finishing: polished aluminium or powder coated with polyester varnish black (RAL9005) and traffic white (RAL9016). Seat and base fixing support in sheet metal. (The finishings must be considered as simil-RAL).						
COMPONENTS	The shell is made of polypropylene (PP), injection-moulded, available with the following colours: white, black, dove, graphite, olive, raspberry and powder blue.						
COMPONENTS	Fixed cushion is composed of a plastic shell, padded with cfc-free polyurethane foam and upholstered with fabric chosen by customer. The upholstery on our chairs is made of flame-retardant fabric and flame-resistant foam.						
	The glide plugs are made of plastic material black coloured or transparent with felted surface.						
	Packaging is made of corrugated double wave cardboard box and protective elements. It contains 2 pcs disassembled (2 shells + 2 frames) or 2 pcs assembled (2 shells + 2 frames)						
	Fabrics, simil-leather and leather as "Materials" folder, downloadable from website.						
REQUIREMENTS	REACH : is the European Union regulation that addresses the production and use of chemical substances. This product contains only substances compliant with the abovementioned regulation and does not contain any "substance of very high concern" (SVHC).						
ORDINARY CLEANING AND MAINTENANCE	Any spills should be wiped up immediately with a clean, dry rag. Use neutral detergents only. Avoid cleaning with abrasive sponges.						
EXTRAORDINARY MAINTENANCE	Supplier suggested personnel only.						
	The chair must be used with its four legs resting on the floor at all times. Do not sit on the back.						
	Do not stand on the chair.						
	Check periodically that the screws are correctly tightened. Be careful not to sit off the seating centre.						
PRECAUTIONS FOR USE	Please keep away from any heating source. The product could change the colour and shade, if exposed to direct sunlight.						
	In case of children use, please consider the supervision of an adult.						
	Arrmet srl is not liable for any damage that may result from the product misuse						
ECOLOGY	Harmful substances This product is not toxic nor hazardous to human health, animals or environment.						
	Waste disposal						
LOOLOGI	Dispose this product responsibly after use at the end of its life. Please utilise the waste collection and recycling service operated by your local authority, or take it to a suitable						
	recycling point. This products can be easily disassembled, facilitating disposal.						
WARRANTY	24 + 2 months as referred to in 99/44/CE European directive.						
WARRANTY	24 + 2 months as referred to in 99/44/OE European affective.						

This product datasheet comply with Italian regulation (DLgs 6th September 2005, n. 206 "Codice del Consumo"), on the subject of consumer information and implementation tool.

MANI DUO SP	DESIGN: WELLINGLUDWIK 989					
	Description : swivel chair with 4-rays base made of polished or painted aluminum, polypropylene seat and padded countershell.					
	Use: indoor					
	9,2					
	80,5 46 48 52 27 55 \$\mathbb{2}\$ 0,80 3					
END USE	Seating suitable to furnish different areas: bars, restaurants, public spaces, libraries, conference rooms, waiting rooms but also perfect to fit into residential spaces.					
COMPONENTS	The frame is composed of a swivel die-cast alluminium trestle. The trestle is available with the following finishing: polished aluminium or powder coated with polyester varnish black (RAL9005) and traffic white (RAL9016). Seat and base fixing support in sheet metal. (The finishings must be considered as simil-RAL).					
	The shell is made of polypropylene (PP), injection-moulded, available with the following colours: white, black, dove, graphite, olive, raspberry and powder blue. The front shell is composed of a plastic shell, padded with cfc-free polyurethane foam and upholstered with fabric chosen by customer. The upholstery on our chairs is made of flame-retardant fabric and flame-resistant foam					
	The glide plugs are made of plastic material black coloured or transparent with felted surface.					
	Packaging is made of corrugated double wave cardboard box and protective elements. It contains 1 pc disassembled (1 shell + 1 frame) or 1 pc assembled (1 shell + 1 frame).					
	Fabrics, simil-leather and leather as "Materials" folder, downloadable from website.					
REQUIREMENTS	REACH : is the European Union regulation that addresses the production and use of chemical substances. This product contains only substances compliant with the abovementioned regulation and does not contain an "substance of very high concern" (SVHC).					
ORDINARY CLEANING AND MAINTENANCE	Any spills should be wiped up immediately with a clean, dry rag. Use neutral detergents only. Avoid cleaning with abrasive sponges.					
EXTRAORDINARY MAINTENANCE	Supplier suggested personnel only.					
PRECAUTIONS FOR USE	The chair must be used with its four legs resting on the floor at all times. Do not sit on the back. Do not stand on the chair. Check periodically that the screws are correctly tightened.					
	Be careful not to sit off the seating centre. Please keep away from any heating source. The product could change the colour and shade, if exposed to direct sunlight. In case of children use, please consider the supervision of an adult.					
	Arrmet srl is not liable for any damage that may result from the product misuse.					
	Harmful substances This product is not toxic nor hazardous to human health, animals or environment.					
ECOLOGY	Waste disposal Dispose this product responsibly after use at the end of its life. Please utilise the waste collection and recycling service operated by your local authority, or take it to a suitable recycling point. This products can be easily disassembled, facilitating disposal.					
WARRANTY	24 + 2 months as referred to in 99/44/CE European directive.					

This product datasheet comply with Italian regulation (D.Lgs 6th September 2005, n. 206 "Codice del Consumo"), on the subject of consumer information and implementation tool.

MANI FABRIC SP	DESIGN: WELLINGLUDWIK 985						
	Description : swivel chair with 4-rays base made of polished or painted aluminum and padded polypropylene seat.						
	Use: indoor						
	9 11 ^A 10 ^D 0,17 ^D 1A 1D 1						
	80,5 46 48 52 110 110 110 110						
END USE	Seating suitable to furnish different areas: bars, restaurants, public spaces, libraries, conference rooms, waiting rooms but also perfect to fit into residential spaces.						
	The frame is composed of a swivel die-cast alluminium trestle. The trestle is available with the following finishing: polished aluminium or powder coated with polyester varnish black (RAL9005) and traffic white (RAL9016). Seat and base fixing support in sheet metal. (The finishings must be considered as simil-RAL).						
COMPONENTS	The shell is made of polypropylene (PP), padded with cfc-free polyurethane foam and upholstered with fabric chosen by customer. The upholstery on our chairs is made of flame-retardant fabric and flame-resistant foam.						
	The glide plugs are made of plastic material black coloured or transparent with felted surface.						
	Packaging is made of corrugated double wave cardboard box and protective elements. It contains 1 pc disassembled (1 shell + 1 frame) or 1 pc assembled (1 shell + 1 frame).						
	Fabrics, simil-leather and leather as "Materials" folder, downloadable from website.						
REQUIREMENTS	REACH : is the European Union regulation that addresses the production and use of chemical substances. This product contains only substances compliant with the abovementioned regulation and does not contain any "substance of very high concern" (SVHC).						
ORDINARY CLEANING AND MAINTENANCE	Any spills should be wiped up immediately with a clean, dry rag. Use neutral detergents only. Avoid cleaning with abrasive sponges.						
EXTRAORDINARY MAINTENANCE							
	The chair must be used with its four legs resting on the floor at all times. Do not sit on the back. Do not stand on the chair. Check periodically that the screws are correctly tightened. Be careful not to sit off the seating centre.						
PRECAUTIONS FOR USE	Please keep away from any heating source. The product could change the colour and shade, if exposed to direct sunlight. In case of children use, please consider the supervision of an adult.						
	Arrmet srl is not liable for any damage that may result from the product misuse.						
	Harmful substances This product is not toxic nor hazardous to human health, animals or environment.						
ECOLOGY	Waste disposal Dispose this product responsibly after use at the end of its life. Please utilise the waste collection and recycling service operated by your local authority, or take it to a suitable recycling point. This products can be easily disassembled, facilitating disposal.						
WARRANTY	24 + 2 months as referred to in 99/44/CE European directive.						

This product datasheet comply with Italian regulation (D.Lgs 6th September 2005, n. 206 "Codice del Consumo"), on the subject of consumer information and implementation tool.

SYMBOLS

m ³	VOLUME (m³) VOLUME	h	IMPILABILITÀ (max) STACKABILITY	Ь	ALTEZZA (cm) HEIGHT
KG	PESO NETTO (kg) NET WEIGHT	J	ADATTO PER ESTERNO SUITABLE FOR OUTDOOR	Н	SEDUTA (cm) SEAT
<u>Jke</u>	PESO COLLO (kg) BOX WEIGHT		CONSUMO TESSUTO (cm /pz H140) NEEDED FABRIC (cm/pc H140)		LARGHEZZA (cm) WIDHT
AA	PEZZI PER COLLO PIECES PER BOX	*	CONSUMO PELLE (m²) NEEDED LEATHER	\vdash	PROFONDITÀ (cm) <i>DEPHT</i>
Ф	NUMERO COLLI BOXES NUMBER		NON IMPILABILE NOT STACKABLE	H	BRACCIOLO (cm) ARMREST
			NON ADATTO PER ESTERNO NOT SUITABLE FOR OUTDOOR		ALTEZZA TAVOLO (cm.) TABLE HEIGHT
					LARGHEZZA (cm) WIDTH
					PROFONDITÀ (cm) DEPTH
A = ASSEMBLATO / ASSEMBLED D = DISASSEMBLATO / DISASSEMBLED					DIAMETRO (cm)

VI INVITIAMO A LEGGERE LE NOTE, CONTENGONO INFORMAZIONI IMPORTANTI

PLEASE READ CAREFULLY THE NOTES, WHICH CONTAIN IMPORTANT INFORMATION