MANI PLASTIC AR-SP	DESIGN: WELLINGLUDWIK 986
	Description: swivel chair with armrests with 4-rays base made of polished or painted aluminum and polypropylene seat.
	Use: indoor- esterno
	9,6         11,6 ^         0,32 ^         14         1 ^           10,6 °         0,17 °         11         1 °         1 °
END USE	' Seating suitable to furnish different areas: bars, restaurants, public spaces, libraries, conference rooms, waiting rooms but also perfect to fit into residential spaces.
COMPONENTS	The <b>frame</b> is composed of a swivel die-cast alluminium trestle. The trestle is available with the following finishing: polished aluminium or powder coated with polyester varnish black (RAL9005) and traffic white (RAL9016). <b>Armests</b> in tubular pipe Ø16 welded on a metal sheet under the shell. Seat and base fixing support in sheet metal. (The finishings must be considered as simil-RAL).
	The <b>shell</b> is made of polypropylene (PP), injection-moulded, available with the following colours: white, black, dove, graphite, olive, raspberry and powder blue.
	The glide plugs are made of plastic material black coloured or transparent with felted surface.
	<b>Packaging</b> is made of corrugated double wave cardboard box and protective elements. It contains 1pc disassembled (1 shell + 1 frame) or 1 pc assembled (1 shell + 1 frame).
REQUIREMENTS	<b>REACH</b> : is the European Union regulation that addresses the production and use of chemical substances. This product contains only substances compliant with the abovementioned regulation and does not contain any "substance of very high concern" (SVHC).
ORDINARY CLEANING AND MAINTENANCE	Any spills should be wiped up immediately with a clean, dry rag. Use neutral detergents only. Avoid cleaning with abrasive sponges.
EXTRAORDINARY MAINTENANCE	Supplier suggested personnel only.
PRECAUTIONS FOR USE	The chair must be used with its four legs resting on the floor at all times. Do not sit on the back. Do not stand on the chair. Check periodically that the screws are correctly tightened. Be careful not to sit off the seating centre. Please keep away from any heating source.
	The product could change the colour and shade, if exposed to direct sunlight. In case of children use, please consider the supervision of an adult.
	Arrmet srl is not liable for any damage that may result from the product misuse.
	<b>Harmful substances</b> This product is not toxic nor hazardous to human health, animals or environment.
ECOLOGY	<b>Waste disposal</b> Dispose this product responsibly after use at the end of its life. Please utilise the waste collection and recycling service operated by your local authority, or take it to a suitable recycling point. This products can be easily disassembled, facilitating disposal.
WARRANTY	24 + 2 months as referred to in 99/44/CE European directive.

MANI CUSHION AR-SP	DESIGN: WELLINGLUDWIK 986
	<b>Description</b> : swivel chair with armrests with 4-rays base made of polished or painted aluminum, polypropylene seat with fixed cushion.
	Use: indoor
	9,6         III,6 ^         0.32 ^         III,6 ^         0.32 ^         III,6 ^         III ^         IIII ^         III ^
END USE	Seating suitable to furnish different areas: bars, restaurants, public spaces, libraries, conference rooms, waiting rooms but also perfect to fit into residential spaces.
COMPONENTS	The <b>frame</b> is composed of a swivel die-cast alluminium trestle. The trestle is available with the following finishing: polished aluminium or powder coated with polyester varnish black (RAL9005) and traffic white (RAL9016). <b>Armests</b> in tubular pipe Ø16 welded on a metal sheet under the shell. Seat and base fixing support in sheet metal. (The finishings must be considered as simil-RAL).
	The <b>shell</b> is made of polypropylene (PP), injection-moulded, available with the following colours: white, black, dove, graphite, olive, raspberry and powder blue.  Fixed cushion is composed of a plastic shell, padded with cfc-free polyurethane foam and upholstered with fabric chosen by customer. The upholstery on our chairs is made of flame-retardant fabric and flame-resistant foam.
	The <b>glide plugs</b> are made of plastic material black coloured or transparent with felted surface.
	<b>Packaging</b> is made of corrugated double wave cardboard box and protective elements. It contains 1pc disassembled (1 shell + 1 frame) or 1 pc assembled (1 shell + 1 frame).
REQUIREMENTS	Fabrics, simil-leather and leather as "Materials" folder, downloadable from website.
	<b>REACH</b> : is the European Union regulation that addresses the production and use of chemical substances. This product contains only substances compliant with the abovementioned regulation and does not contain any "substance of very high concern" (SVHC).
ORDINARY CLEANING AND MAINTENANCE	Any spills should be wiped up immediately with a clean, dry rag. Use neutral detergents only. Avoid cleaning with abrasive sponges.
EXTRAORDINARY MAINTENANCE	Supplier suggested personnel only.
PRECAUTIONS FOR USE	The chair must be used with its four legs resting on the floor at all times. Do not sit on the back. Do not stand on the chair. Check periodically that the screws are correctly tightened. Be careful not to sit off the seating centre. Please keep away from any heating source. The product could change the colour and shade, if exposed to direct sunlight. In case of children use, please consider the supervision of an adult.
	Arrmet srl is not liable for any damage that may result from the product misuse.
	Harmful substances This product is not toxic nor hazardous to human health, animals or environment.
ECOLOGY	Waste disposal Dispose this product responsibly after use at the end of its life. Please utilise the waste collection and recycling service operated by your local authority, or take it to a suitable recycling point. This products can be easily disassembled, facilitating disposal.
WARRANTY	24 + 2 months as referred to in 99/44/CE European directive.

MANI DUO AR-SP	DESIGN: WELLINGLUDWIK 992
	Description: swivel chair with armrests with 4-rays base made of polished or painted aluminum, polypropylene seat and padded countershell.
	Use: indoor
END USE	Seating suitable to furnish different areas: bars, restaurants, public spaces, libraries, conference rooms, waiting rooms but also perfect to fit into residential spaces.
COMPONENTS	The <b>frame</b> is composed of a swivel die-cast alluminium trestle. The trestle is available with the following finishing: polished aluminium or powder coated with polyester varnish black (RAL9005) and traffic white (RAL9016). <b>Armests</b> in tubular pipe Ø16 welded on a metal sheet under the shell. Seat and base fixing support in sheet metal. (The finishings must be considered as simil-RAL).
	The <b>shell</b> is made of polypropylene (PP), injection-moulded, available with the following colours: white, black, dove, graphite, olive, raspberry and powder blue.
	The <b>front shell</b> is composed of a plastic shell, padded with cfc-free polyurethane foam and upholstered with fabric chosen by customer. The upholstery on our chairs is made of flame-retardant fabric and flame-resistant foam
	The glide plugs are made of plastic material black coloured or transparent with felted surface.
	<b>Packaging</b> is made of corrugated double wave cardboard box and protective elements. It contains 1pc disassembled (1 shell + 1 frame).
	Questo articolo ha superato i test previsti dalle norme: - EN 1728:2012 +AC:2013 resistenza a fatica del sedile-schienale, raggiungendo il livello L2 - estremo secondo tabella 1 della EN 16139:2013
REQUIREMENTS	Fabrics, simil-leather and leather as "Materials" folder, downloadable from website.
	<b>REACH</b> : is the European Union regulation that addresses the production and use of chemical substances. This product contains only substances compliant with the abovementioned regulation and does not contain any "substance of very high concern" (SVHC).
ORDINARY CLEANING AND MAINTENANCE	Any spills should be wiped up immediately with a clean, dry rag. Use neutral detergents only. Avoid cleaning with abrasive sponges.
EXTRAORDINARY MAINTENANCE	Supplier suggested personnel only.
PRECAUTIONS FOR USE	The chair must be used with its four legs resting on the floor at all times. Do not sit on the back. Do not stand on the chair.
	Check periodically that the screws are correctly tightened. Be careful not to sit off the seating centre.
	Please keep away from any heating source.
	The product could change the colour and shade, if exposed to direct sunlight. In case of children use, please consider the supervision of an adult.
	Arrmet srl is not liable for any damage that may result from the product misuse.
ECOLOGY	<b>Harmful substances</b> This product is not toxic nor hazardous to human health, animals or environment.
	Waste disposal
	Dispose this product responsibly after use at the end of its life. Please utilise the waste collection and recycling service operated by your local authority, or take it to a suitable
	recycling point.
WARDANTY	This products can be easily disassembled, facilitating disposal.
WARRANTY	24 + 2 months as referred to in 99/44/CE European directive.

MANI FABRIC AR-SP	DESIGN: WELLINGLUDWIK 986
	<b>Description</b> : swivel chair with armrests with 4-rays base made of polished or painted aluminum and padded polypropylene seat.
	Use: indoor
	$\begin{array}{c} \hline \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ $
END USE	Seating suitable to furnish different areas: bars, restaurants, public spaces, libraries, conference rooms, waiting rooms but also perfect to fit into residential spaces.
COMPONENTS	The <b>frame</b> is composed of a swivel die-cast alluminium trestle. The trestle is available with the following finishing: polished aluminium or powder coated with polyester varnish black (RAL9005) and traffic white (RAL9016). <b>Armests</b> in tubular pipe Ø16, welded. Seat and base fixing support in sheet metal. (The finishings must be considered as simil-RAL).
	The <b>shell</b> is made of polypropylene (PP), padded with cfc-free polyurethane foam and upholstered with fabric chosen by customer. The upholstery on our chairs is made of flame-retardant fabric and flame-resistant foam.
	The glide plugs are made of plastic material black coloured or transparent with felted surface.
	<b>Packaging</b> is made of corrugated double wave cardboard box and protective elements. It contains 1pc disassembled (1 shell + 1 frame) or 1 pc assembled (1 shell + 1 frame).
	Fabrics, simil-leather and leather as "Materials" folder, downloadable from website.
REQUIREMENTS	<b>REACH</b> : is the European Union regulation that addresses the production and use of chemical substances. This product contains only substances compliant with the abovementioned regulation and does not contain any "substance of very high concern" (SVHC).
ORDINARY CLEANING AND MAINTENANCE	Any spills should be wiped up immediately with a clean, dry rag. Use neutral detergents only. Avoid cleaning with abrasive sponges.
EXTRAORDINARY MAINTENANCE	Supplier suggested personnel only.
PRECAUTIONS FOR USE	The chair must be used with its four legs resting on the floor at all times. Do not sit on the back. Do not stand on the chair. Check periodically that the screws are correctly tightened. Be careful not to sit off the seating centre. Please keep away from any heating source. The product could change the colour and shade, if exposed to direct sunlight.
	In case of children use, please consider the supervision of an adult.
	Arrmet srl is not liable for any damage that may result from the product misuse.
	<b>Harmful substances</b> This product is not toxic nor hazardous to human health, animals or environment.
ECOLOGY	<b>Waste disposal</b> Dispose this product responsibly after use at the end of its life. Please utilise the waste collection and recycling service operated by your local authority, or take it to a suitable recycling point. This products can be easily disassembled, facilitating disposal.
WARRANTY	24 + 2 months as referred to in 99/44/CE European directive.

## SYMBOLS



VI INVITIAMO A LEGGERE LE NOTE, CONTENGONO INFORMAZIONI IMPORTANTI

PLEASE READ CAREFULLY THE NOTES, WHICH CONTAIN IMPORTANT INFORMATION