

MANI PLASTIC 4L		DESIGN: WELLINGLUDWIK		957			
	Description: chair with chromed or painted steel frame and shell in polypropilene.						
	Use: indoor - outdoor						
	 4,6	 11,2 ^A 19,4 ^D	 0,28 ^A 0,23 ^D	 2 ^A 4 ^D	 1		
	 80,5	 45	 56,5	 53			
						 10	
END USE		Seating for outdoor furnishings suitable to fit into bars, restaurants, public spaces but also perfect to furnish residential spaces.					
COMPONENTS		The frame is composed of metal tubes, round section, Ø16 mm, chromium plated or powder coated with polyester varnish of the following colours: black (RAL9005), white (RAL9016); or liquid painting, brass and copper. For outdoor use, frame first cataphoretically-treated and then powder coated. (The finishings must be considered as simil-RAL).					
		The shell is made of polypropylene (PP), injection-moulded, available with the following colours: white, black, dove, graphite, olive, raspberry and powder blue.					
		Stackability buffers are made of plastic material (EVA), neutral coloured.					
		Available linking device (art.978) for conference room, to be matched with plastic carter (art.977).					
		The glide plugs are made of plastic material black coloured or transparent. On request glide plugs with felted surface, tilt glide plugs with plastic slide base or felted slide base available.					
		Trolley (art.712) can transport up to 8 chairs, plastic version.					
		Packaging is made of corrugated double wave cardboard box and protective elements. It contains 4 pcs disassembled (4 shells + 4 frames) or 2 pcs assembled (2 shells + 2 frames).					
REQUIREMENTS		This article stood tests provided for by standards: - EN 1728:2012 + AC:2013 Vertical load on backrest according to table 1 of EN 16139:2013, level L1 - general.					
		REACH: is the European Union regulation that addresses the production and use of chemical substances. This product contains only substances compliant with the abovementioned regulation and does not contain any "substance of very high concern" (SVHC).					
ORDINARY CLEANING AND MAINTENANCE		Any spills should be wiped up immediately with a clean, dry rag. Use neutral detergents only. Avoid cleaning with abrasive sponges.					
		Before stocking during invernial period, for outdoor frame, clean metal parts (frame surfaces, screws) with neutral detergents diluted with warm water or simply water, then treat these components with vaseline oil in case wear is heavy. Keep chairs in a dry and sheltered place. In case the product is placed in highly corrosive enviroments, wash weekly with water and dry with a soft rag.					
EXTRAORDINARY MAINTENANCE		Supplier suggested personnel only.					
PRECAUTIONS FOR USE		The chair must be used with its four legs resting on the floor at all times. Do not sit on the back. Do not stand on the chair. Check periodically that the screws are correctly tightened. Be careful not to sit off the seating centre. Please keep away from any heating source. The product could change the colour and shade, if exposed to direct sunlight. In case of children use, please consider the supervision of an adult.					
		<i>Arrmet srl is not liable for any damage that may result from the product misuse.</i>					
		Harmful substances This product is not toxic nor hazardous to human health, animals or environment.					
ECOLOGY		Waste disposal Dispose this product responsibly after use at the end of its life. Please utilise the waste collection and recycling service operated by your local authority, or take it to a suitable recycling point. This products can be easily disassembled, facilitating disposal.					
		24 + 2 months as referred to in 99/44/CE European directive.					
WARRANTY							
This product datasheet comply with Italian regulation (DLgs 6th September 2005, n. 206 "Codice del Consumo"), on the subject of consumer information and implementation tool.							

MANI CUSHION 4L		DESIGN: WELLINGLUDWIK		970	
	Description: chair with chromed or painted steel frame, shell in polypropylene and fixed cushion.				
	Use: indoor				
	 5,4	 12,8 ^A 11,8 ^D	 0,28 ^A 0,17 ^D	 2 ^A 2 ^D	 1
	 80,5	 46	 56,5	 53	
	 30	 0,50	 8		
END USE		Seating suitable to furnish different areas: bars, restaurants, public spaces, libraries, conference rooms, waiting rooms but also perfect to fit into residential spaces.			
COMPONENTS		The frame is composed of metal tubes, round section, Ø16 mm, chromium plated or powder coated with polyester varnish of the following colours: black (RAL9005), white (RAL9016); or liquid painting, brass and copper. (The finishings must be considered as simil-RAL).			
		The shell is made of polypropylene (PP), injection-moulded, available with the following colours: white, black, dove, graphite, olive, raspberry and powder blue.			
		Fixed cushion is composed of a plastic shell, padded with cfc-free polyurethane foam and upholstered with fabric chosen by customer. The upholstery on our chairs is made of flame-retardant fabric and flame-resistant foam.			
		For versione with cushion (art.972), front shell (art.966) and shell fully upholstered (art.959), plastic carter (art.977) allows stackability in upholstered version.			
		Available linking device (art.978) for conference room, to be matched with plastic carter (art.977).			
REQUIREMENTS		The glide plugs are made of plastic material black coloured or transparent. On request glide plugs with felted surface, tilt glide plugs with plastic slide base or felted slide base available.			
		Trolley (art.712) can transport up to 6 chairs, upholstered version.			
		Packaging is made of corrugated double wave cardboard box and protective elements. It contains 2 pcs disassembled (2 shells + 2 frames) or 2 pcs assembled (2 shells + 2 frames).			
		This article stood tests provided for by standards: - EN 1728:2012 + AC:2013 Vertical load on backrest according to table 1 of EN 16139:2013, level L1 - general.			
		Fabrics, simil-leather and leather as "Materials" folder, downloadable from website.			
ORDINARY CLEANING AND MAINTENANCE		REACH: is the European Union regulation that addresses the production and use of chemical substances. This product contains only substances compliant with the abovementioned regulation and does not contain any "substance of very high concern" (SVHC).			
		Any spills should be wiped up immediately with a clean, dry rag. Use neutral detergents only. Avoid cleaning with abrasive sponges.			
		EXTRAORDINARY MAINTENANCE Supplier suggested personnel only.			
		PRECAUTIONS FOR USE The chair must be used with its four legs resting on the floor at all times. Do not sit on the back. Do not stand on the chair. Check periodically that the screws are correctly tightened. Be careful not to sit off the seating centre. Please keep away from any heating source. The product could change the colour and shade, if exposed to direct sunlight. In case of children use, please consider the supervision of an adult. <i>Armet srl is not liable for any damage that may result from the product misuse.</i>			
ECOLOGY		Harmful substances This product is not toxic nor hazardous to human health, animals or environment.			
		Waste disposal Dispose this product responsibly after use at the end of its life. Please utilise the waste collection and recycling service operated by your local authority, or take it to a suitable recycling point. This products can be easily disassembled, facilitating disposal.			
		WARRANTY 24 + 2 months as referred to in 99/44/CE European directive.			
This product datasheet comply with Italian regulation (D.Lgs 6th September 2005, n. 206 "Codice del Consumo"), on the subject of consumer information and implementation tool.					

MANI DUO 4L	
DESIGN: WELLINGLUDWIK	
964	
	Description: chair with chromed or painted steel frame, shell in polypropylene and padded countershell.
	Use: indoor
	 6  14 ^A 13 ^D  0,28 ^A 0,17 ^D  2 ^A 2 ^D  1  80,5  46  56,5  53   55  0,80  8 
END USE	Seating suitable to furnish different areas: bars, restaurants, public spaces, libraries, conference rooms, waiting rooms but also perfect to fit into residential spaces.
COMPONENTS	The frame is composed of metal tubes, round section, Ø16 mm, chromium plated or powder coated with polyester varnish of the following colours: black (RAL9005), white (RAL9016); or liquid painting, brass and copper. (The finishings must be considered as simil-RAL). The shell is made of polypropylene (PP), injection-moulded, available with the following colours: white, black, dove, graphite, olive, raspberry and powder blue. The front shell is composed of a plastic shell, padded with cfc-free polyurethane foam and upholstered with fabric chosen by customer. The upholstery on our chairs is made of flame-retardant fabric and flame-resistant foam. For versione with cushion (art.972), front shell (art.966) and shell fully upholstered (art.959), plastic carter (art.977) allows stackability in upholstered version. Available linking device (art.978) for conference room, to be matched with plastic carter (art.977). The glide plugs are made of plastic material black coloured or transparent. On request glide plugs with felted surface, tilt glide plugs with plastic slide base or felted slide base available. Trolley (art.712) can transport up to 6 chairs, upholstered version. Packaging is made of corrugated double wave cardboard box and protective elements. It contains 2 pcs disassembled (2 shells + 2 frames) or 2 pcs assembled (2 shells + 2 frames).
	This article stood tests provided for by standards: - EN 1728:2012 + AC:2013 Vertical load on backrest according to table 1 of EN 16139:2013, level L1 - general. Fabrics, simil-leather and leather as "Materials" folder, downloadable from website. REACH: is the European Union regulation that addresses the production and use of chemical substances. This product contains only substances compliant with the abovementioned regulation and does not contain any "substance of very high concern" (SVHC).
	ORDINARY CLEANING AND MAINTENANCE Any spills should be wiped up immediately with a clean, dry rag. Use neutral detergents only. Avoid cleaning with abrasive sponges.
EXTRAORDINARY MAINTENANCE	Supplier suggested personnel only.
PRECAUTIONS FOR USE	The chair must be used with its four legs resting on the floor at all times. Do not sit on the back. Do not stand on the chair. Check periodically that the screws are correctly tightened. Be careful not to sit off the seating centre. Please keep away from any heating source. The product could change the colour and shade, if exposed to direct sunlight. In case of children use, please consider the supervision of an adult. <i>Armet srl is not liable for any damage that may result from the product misuse.</i>
ECOLOGY	Harmful substances This product is not toxic nor hazardous to human health, animals or environment. Waste disposal Dispose this product responsibly after use at the end of its life. Please utilise the waste collection and recycling service operated by your local authority, or take it to a suitable recycling point. This products can be easily disassembled, facilitating disposal.
WARRANTY	24 + 2 months as referred to in 99/44/CE European directive.
This product datasheet comply with Italian regulation (D.Lgs 6th September 2005, n. 206 "Codice del Consumo"), on the subject of consumer information and implementation tool.	

MANI FABRIC 4L		DESIGN: WELLINGLUDWIK		957	
	Description: chair with chromed or painted steel frame and shell in padded polypropylene.				
	Use: indoor				
	 5,2	 12,4 ^A 11,4 ^D	 0,28 ^A 0,17 ^D	 2 ^A 2 ^D	 1
					
END USE		Seating suitable to furnish different areas: bars, restaurants, public spaces, libraries, conference rooms, waiting rooms but also perfect to fit into residential spaces.			
COMPONENTS		The frame is composed of metal tubes, round section, Ø16 mm, chromium plated or powder coated with polyester varnish of the following colours: black (RAL9005), white (RAL9016); or liquid painting, brass and copper. (The finishings must be considered as simil-RAL).			
		The shell is made of polypropylene (PP), injection-moulded, padded with cfc-free polyurethane foam and upholstered with fabric chosen by customer. The upholstery on our chairs is made of flame-retardant fabric and flame-resistant foam.			
		For versione with cushion (art.972), front shell (art.966) and shell fully upholstered (art.959), plastic carter (art.977) allows stackability in upholstered version.			
		Available linking device (art.978) for conference room, to be matched with plastic carter (art.977).			
REQUIREMENTS		The glide plugs are made of plastic material black coloured or transparent. On request glide plugs with felted surface, tilt glide plugs with plastic slide base or felted slide base available.			
		Trolley (art.978) can transport up to 6 chairs, upholstered version.			
		Packaging is made of corrugated double wave cardboard box and protective elements. It contains 2 pcs disassembled (2 shells + 2 frames) or 2 pcs assembled (2 shells + 2 frames).			
		This article stood tests provided for by standards: - EN 1728:2012 + AC:2013 Vertical load on backrest according to table 1 of EN 16139:2013, level L1 - general.			
ORDINARY CLEANING AND MAINTENANCE		Fabrics, simil-leather and leather as "Materials" folder, downloadable from website.			
		REACH: is the European Union regulation that addresses the production and use of chemical substances. This product contains only substances compliant with the abovementioned regulation and does not contain any "substance of very high concern" (SVHC).			
		Any spills should be wiped up immediately with a clean, dry rag. Use neutral detergents only. Avoid cleaning with abrasive sponges.			
		EXTRAORDINARY MAINTENANCE Supplier suggested personnel only.			
PRECAUTIONS FOR USE		The chair must be used with its four legs resting on the floor at all times. Do not sit on the back. Do not stand on the chair. Check periodically that the screws are correctly tightened. Be careful not to sit off the seating centre. Please keep away from any heating source. The product could change the colour and shade, if exposed to direct sunlight. In case of children use, please consider the supervision of an adult.			
		<i>Armet srl is not liable for any damage that may result from the product misuse.</i>			
		Harmful substances This product is not toxic nor hazardous to human health, animals or environment.			
		Waste disposal Dispose this product responsibly after use at the end of its life. Please utilise the waste collection and recycling service operated by your local authority, or take it to a suitable recycling point. This products can be easily disassembled, facilitating disposal.			
WARRANTY		24 + 2 months as referred to in 99/44/CE European directive.			
This product datasheet comply with Italian regulation (D.Lgs 6th September 2005, n. 206 "Codice del Consumo"), on the subject of consumer information and implementation tool.					

SYMBOLS

	VOLUME (m³) VOLUME		IMPILABILITÀ (max) STACKABILITY		ALTEZZA (cm) HEIGHT
	PESO NETTO (kg) NET WEIGHT		ADATTO PER ESTERNO SUITABLE FOR OUTDOOR		SEDUTA (cm) SEAT
	PESO COLLO (kg) BOX WEIGHT		CONSUMO TESSUTO (cm /pz H140) NEEDED FABRIC (cm/pc H140)		LARGHEZZA (cm) WIDHT
	PEZZI PER COLLO PIECES PER BOX		CONSUMO PELLE (m²) NEEDED LEATHER		PROFONDITÀ (cm) DEPHT
	NUMERO COLLI BOXES NUMBER		NON IMPILABILE NOT STACKABLE		BRACCIOLO (cm) ARMREST
			NON ADATTO PER ESTERNO NOT SUITABLE FOR OUTDOOR		ALTEZZA TAVOLO (cm) TABLE HEIGHT
					LARGHEZZA (cm) WIDTH
					PROFONDITÀ (cm) DEPTH
					DIAMETRO (cm) DIAMETER

A = ASSEMBLATO / ASSEMBLED

D = DISASSEMBLATO / DISASSEMBLED

VI INVITIAMO A LEGGERE LE NOTE, CONTENGONO INFORMAZIONI IMPORTANTI

PLEASE READ CAREFULLY THE NOTES, WHICH CONTAIN IMPORTANT INFORMATION