MANI PLASTIC SL	DESIGN: WELLINGLUDWIK		958				
	Description : chair with chromed or painted steel sled frame and shell in polypro	opilene.					
	Use: indoor						
	6,2 (KG 14,4 ^ 25,8 ° (0,23 °)	2 ^A 4 ^D	1				
	80,5 45 55,5 54	*	1 0				
END USE	Seating suitable to furnish different areas: bars, restaurants, public spaces, libraries, conference rooms, waiting rooms but also perfect to fit into residential spaces.						
	The frame is composed of steel rods, round section, Ø12 mm, chromium plated or powder coated with polyester varnish of the following colours: black (RAL9005), white (RAL9016); or liquid painting, brass and copper. (The finishings must be considered as simil-RAL).						
	The shell is made of polypropylene (PP), injection-moulded, available with the following colours: white, black, dove, graphite, olive, raspberry and powder blue.						
COMPONENTS	Gliders are made of plastic material, neutral coloured inserted into pre drilled holes on sled base. On request gliders with felted surface.						
	Available linking device (art.978) for conference room, to be matched with plastic carter (art.977).						
	Trolley (art.978) can transport up to 10 chairs, plastic version.						
	Packaging is made of corrugated double wave cardboard box and protective elements. It contains 4 pcs disassembled (4 shells + 4 frames) or 2 pcs assembled (2 shells + 2 frames).						
REQUIREMENTS	REACH : is the European Union regulation that addresses the production and use of chemical substances. This product contains only substances compliant with the abovementioned regulation and does not contain any "substance of very high concern" (SVHC).						
ORDINARY CLEANING AND MAINTENANCE	Any spills should be wiped up immediately with a clean, dry rag. Use neutral detergents only. Avoid cleaning with abrasive sponges.						
EXTRAORDINARY MAINTENANCE	Supplier suggested personnel only.						
	The chair must be used with its four legs resting on the floor at all times.						
	Do not sit on the back. Do not stand on the chair.						
	Check periodically that the screws are correctly tightened. Be careful not to sit off the seating centre.						
PRECAUTIONS FOR USE	Please keep away from any heating centre.						
	The product could change the colour and shade, if exposed to direct sunlight. In case of children use, please consider the supervision of an adult.						
	Arrmet srl is not liable for any damage that may result from the product misuse.						
	Harmful substances This product is not toxic nor hazardous to human health, animals or environment.						
5001 00V	Waste disposal						
ECOLOGY	Dispose this product responsibly after use at the end of its life.						
	Please utilise the waste collection and recycling service operated by your local authority, or take it to a suitable recycling point.						
	This products can be easily disassembled, facilitating disposal.						
	24 + 2 months as referred to in 99/44/CE European directive.						

This product datasheet comply with Italian regulation (DLgs 6th September 2005, n. 206 "Codice del Consumo"), on the subject of consumer information and implementation tool.

MANI CUSHION SL **DESIGN**: WELLINGLUDWIK Description: Chair with chromed or painted steel sled frame and shell in polypropilene with fixed cushion. Use: indoor 0,28 A 0.17 Seating suitable to furnish different areas: bars, restaurants, public spaces, libraries, conference rooms, waiting **END USE** rooms but also perfect to fit into residential spaces. The **frame** is composed of metal rods, round section, Ø12 mm, chromium plated or powder coated with polyester varnish of the following colours: black (RAL9005), white (RAL9016); or liquid painting, brass and copper. (The finishings must be considered as simil-RAL). The shell is made of polypropylene (PP), injection-moulded, available with the following colours: white, black, dove, graphite, olive, raspberry and powder blue. Fixed cushion is composed of a plastic shell, padded with cfc-free polyurethane foam and upholstered with fabric chosen by customer. The upholstery on our chairs is made of flame-retardant fabric and flame-resistant foam. COMPONENTS Available linking device (art.978) for conference room, to be matched with plastic carter (art.977). Gliders are made of plastic material, neutral coloured inserted into pre drilled holes on sled base. On request gliders with felted surface. Trolley (art.712) can transport up to 8 chairs, upholstered version. Packaging is made of corrugated double wave cardboard box and protective elements. It contains 2 pcs disassembled (2 shells + 2 frames) or 2 pcs assembled (2 shells + 2 frames) Fabrics, simil-leather and leather as "Materials" folder, downloadable from website. REQUIREMENTS REACH : is the European Union regulation that addresses the production and use of chemical substances.This product contains only substances compliant with the abovementioned regulation and does not contain any "substance of very high concern" (SVHC). Any spills should be wiped up immediately with a clean, dry rag. ORDINARY CLEANING Use neutral detergents only AND MAINTENANCE Avoid cleaning with abrasive sponges. **EXTRAORDINARY MAINTENANCE** Supplier suggested personnel only. The chair must be used with its four legs resting on the floor at all times. Do not sit on the back. Do not stand on the chair. Check periodically that the screws are correctly tightened. Be careful not to sit off the seating centre. PRECAUTIONS FOR USE Please keep away from any heating source. The product could change the colour and shade, if exposed to direct sunlight. In case of children use, please consider the supervision of an adult.

This product datasheet comply with Italian regulation (DLgs 6th September 2005, n. 206 "Codice del Consumo"), on the subject of consumer information and implementation tool.

Dispose this product responsibly after use at the end of its life.

This products can be easily disassembled, facilitating disposal.

24 + 2 months as referred to in 99/44/CE European directive.

Harmful substances

Waste disposal

recycling point.

ECOLOGY

WARRANTY

Arrmet srl is not liable for any damage that may result from the product misuse.

This product is not toxic nor hazardous to human health, animals or environment.

Please utilise the waste collection and recycling service operated by your local authority, or take it to a suitable

MANI DUO SL	DESIGN: WELLINGLUDWIK 965					
	Description : chair with chromed or painted steel sled frame, shell in polypropilene and padded countershell.					
	Use: indoor					
	7,6 17,2 A 0,17 D 1 2 A 2 D 1					
	80,5 46 55,5 54 54 55 \$ 55 \$ 0,80 \$ 8					
END USE	Seating suitable to furnish different areas: bars, restaurants, public spaces, libraries, conference rooms, waiting rooms but also perfect to fit into residential spaces.					
COMPONENTS	The frame is composed of metal rods, round section, Ø12 mm, chromium plated or powder coated with polyester varnish of the following colours: black (RAL9005), white (RAL9016); or liquid painting, brass and copper. (The finishings must be considered as simil-RAL).					
	The shell is made of polypropylene (PP), injection-moulded, available with the following colours: white, black, dove, graphite, olive, raspberry and powder blue.					
	The front shell is composed of a plastic shell, padded with cfc-free polyurethane foam and upholstered with fabric chosen by customer. The upholstery on our chairs is made of flame-retardant fabric and flame-resistant foam.					
	Available linking device (art.978) for conference room, to be matched with plastic carter (art.977).					
	Gliders are made of plastic material, neutral coloured inserted into pre drilled holes on sled base. On request gliders with felted surface.					
	Trolley (art.712) can transport up to 8 chairs, upholstered version.					
	Packaging is made of corrugated double wave cardboard box and protective elements. It contains 2 pcs disassembled (2 shells + 2 frames) or 2 pcs assembled (2 shells + 2 frames					
	Fabrics, simil-leather and leather as "Materials" folder, downloadable from website.					
REQUIREMENTS	REACH : is the European Union regulation that addresses the production and use of chemical substances. This product contains only substances compliant with the abovementioned regulation and does not contain any "substance of very high concern" (SVHC).					
ORDINARY CLEANING AND MAINTENANCE	Any spills should be wiped up immediately with a clean, dry rag. Use neutral detergents only. Avoid cleaning with abrasive sponges.					
EXTRAORDINARY MAINTENANCE	Supplier suggested personnel only.					
	The chair must be used with its four legs resting on the floor at all times. Do not sit on the back. Do not stand on the chair.					
PRECAUTIONS FOR USE	Check periodically that the screws are correctly tightened. Be careful not to sit off the seating centre.					
PREGACTIONS FOR GGE	Please keep away from any heating source. The product could change the colour and shade, if exposed to direct sunlight.					
	In case of children use, please consider the supervision of an adult.					
	Arrmet srl is not liable for any damage that may result from the product misuse. Harmful substances					
	This product is not toxic nor hazardous to human health, animals or environment.					
ECOLOGY	Waste disposal Dispose this product responsibly after use at the end of its life. Please utilise the waste collection and recycling service operated by your local authority, or take it to a suitable recycling point.					
	This products can be easily disassembled, facilitating disposal.					
WARRANTY	24 + 2 months as referred to in 99/44/CE European directive.					

This product datasheet comply with Italian regulation (DLgs 6th September 2005, n. 206 "Codice del Consumo"), on the subject of consumer information and implementation tool.

MANI FABRIC SL	DESIGN: WELLINGLUDWIK 958					
	Description : chair with chromed or painted steel sled frame and shell in padded polypropilene					
	Use: indoor					
	6,8 15,6 A 14,6 B 0,17 B 0,28 A 2 B 15,6 A 2 B 15,6 A 14,6 B 15,6 A 14,6 B 15,6 A 15,6	1				
	80,5 46 55,5 53 110 110 1,60 8					
END USE	Seating suitable to furnish different areas: bars, restaurants, public spaces, libraries, conference rooms, waiting rooms but also perfect to fit into residential spaces.					
	The frame is composed of metal rods, round section, Ø12 mm, chromium plated or powder coated with polyester varnish of the following colours: black (RAL9005), white (RAL9016); or liquid painting, brass and copper. (The finishings must be considered as simil-RAL).	r				
	The shell is made of polypropylene (PP), injection-moulded, padded with cfc-free polyurethane foam and upholstered with fabric chosen by customer. The upholstery on our chairs is made of flame-retardant fabric and flame-resistant foam.					
COMPONENTS	Available linking device (art.978) for conference room, to be matched with plastic carter (art.977).					
	Gliders are made of plastic material, neutral coloured inserted into pre drilled holes on sled base. On request gliders with felted surface.					
	Trolley (art.712) can transport up to 8 chairs, upholstered version.					
	Packaging is made of corrugated double wave cardboard box and protective elements. It contains 2 pcs disassembled (2 shells + 2 frames) or 2 pcs assembled (2 shells + 2 frames).					
	Fabrics, simil-leather and leather as "Materials" folder, downloadable from website.					
REQUIREMENTS	REACH : is the European Union regulation that addresses the production and use of chemical substances. This product contains only substances compliant with the abovementioned regulation and does not contain any "substance of very high concern" (SVHC).					
ORDINARY CLEANING AND MAINTENANCE	Any spills should be wiped up immediately with a clean, dry rag. Use neutral detergents only. Avoid cleaning with abrasive sponges.					
EXTRAORDINARY MAINTENANCE	Supplier suggested personnel only.					
The chair must be used with its four legs resting on the floor at all times. Do not sit on the back. Do not stand on the chair. Check periodically that the screws are correctly tightened. Be careful not to sit off the seating centre. Please keep away from any heating source. The product could change the colour and shade, if exposed to direct sunlight.						
	In case of children use, please consider the supervision of an adult.					
	Arrmet srl is not liable for any damage that may result from the product misuse. Harmful substances					
	This product is not toxic nor hazardous to human health, animals or environment.					
ECOLOGY	Waste disposal Dispose this product responsibly after use at the end of its life. Please utilise the waste collection and recycling service operated by your local authority, or take it to a suitable recycling point. This products can be easily disassembled, facilitating disposal.					
WARRANTY	24 + 2 months as referred to in 99/44/CE European directive.					

This product datasheet comply with Italian regulation (D.Lgs 6th September 2005, n. 206 "Codice del Consumo"), on the subject of consumer information and implementation tool.

SYMBOLS

m ³	VOLUME (m³) VOLUME	H	IMPILABILITÀ (max) STACKABILITY	Н	ALTEZZA (cm) HEIGHT
KG	PESO NETTO (kg) NET WEIGHT	J	ADATTO PER ESTERNO SUITABLE FOR OUTDOOR	\vdash	SEDUTA (cm) SEAT
Ke	PESO COLLO (kg) BOX WEIGHT	_ 7	CONSUMO TESSUTO (cm /pz H140) NEEDED FABRIC (cm/pc H140)		LARGHEZZA (cm) WIDHT
HΗ	PEZZI PER COLLO PIECES PER BOX	*	CONSUMO PELLE (m²) NEEDED LEATHER	\vdash	PROFONDITÀ (cm) DEPHT
Ф	NUMERO COLLI BOXES NUMBER		NON IMPILABILE NOT STACKABLE	H	BRACCIOLO (cm) ARMREST
			NON ADATTO PER ESTERNO NOT SUITABLE FOR OUTDOOR		ALTEZZA TAVOLO (cm) TABLE HEIGHT
					LARGHEZZA (cm) WIDTH
					PROFONDITÀ (cm) <i>DEPTH</i>
A = ASSEMBLATO / ASSEMBLED D = DISASSEMBLATO / DISASSEMBLED				DIAMETRO (cm) DIAMETER	

VI INVITIAMO A LEGGERE LE NOTE, CONTENGONO INFORMAZIONI IMPORTANTI

PLEASE READ CAREFULLY THE NOTES, WHICH CONTAIN IMPORTANT INFORMATION